

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-18. (canceled)

19. (new) A cement paint comprising a pigmenting substance, a cement binder and a fluidizing liquid, and further comprising at least:

a calcareous aggregate comprising calcareous granules of calcium carbonate having maximum sizes smaller than 100 microns,

a vitreous aggregate comprising vitreous granules having maximum sizes small than 100 microns, and

a photo catalyst to oxidize polluting substances in the presence of light and air;

wherein said calcareous granules and vitreous granules have sizes similar to each other.

20. (new) The cement paint as claimed in claim 19, wherein said calcareous granules have maximum sizes smaller than 50 microns and wherein said vitreous granules have maximum sizes smaller than 50 microns.

21. (new) The cement paint as claimed in claim 19, wherein said vitreous granules comprise E-AR glass fragments.

22. (new) The cement paint as claimed in claim 19, wherein said vitreous granules comprise glass fragments at least partly agglomerated together by an aminosilane.

23. (new) The cement paint as claim in claim 19, wherein said photo catalyst comprises TiO_2 .

24. (new) The cement paint as claimed in claim 19, wherein said cement binder comprises white cement.

25. (new) A dry preparation for cement paint, comprising a cement binder and further comprising:

a calcareous aggregate comprising calcareous granules of calcium carbonate having maximum sizes smaller than 100 microns, and

a vitreous aggregate comprising vitreous granules having maximum sizes smaller than 100 microns;

wherein said calcareous granules and vitreous granules have sizes similar to each other;

wherein said vitreous granules comprise E-AR glass fragments; and

said dry preparation further comprising a photo catalyst capable of oxidizing polluting substances in the presence of light and air.

26. (new) The dry preparation as claimed in claim 25, wherein said calcareous granules have maximum sizes smaller than 50 microns and wherein said vitreous granules have maximum sizes smaller than 50 microns.

27. (new) The dry preparation as claimed in claim 25, wherein said vitreous granules comprise glass fragments at least partly agglomerated with each other by an aminosilane.

28. (new) The dry preparation as claimed in claim 25, wherein said cement binder comprises white cement.

29. (new) The dry preparation as claimed in claim 25, wherein said photo catalyst comprises TiO_2 .

30. (new) The cement paint of claim 19, wherein said calcareous aggregate is present in an amount by weight equal to the amount by weight of said cement binder up to twice the weight of said cement binder.

31. (new) The dry preparation of claim 25, wherein said calcareous aggregate is present in an amount by weight equal to the amount by weight of said cement binder up to twice the weight of said cement binder.